

Tops

Laminate Top w/Lotz Armor Edge™ (Standard) High pressure laminate (HPL) top and moisture preventative & gum resistant phenolic backer bonded to 1.125" thick medium density fiberboard (MDF) core. Total top thickness 1.25". Choice of WB standard HPL. Optional top surface choices include writable surface laminate (markerboard) and most Wilsonart matte (-60) finish laminates with possible up charges. Other vendors available upon request. (Check availability of non-standard colors, minimum order may apply.) Lotz Armor Edge™ is a WB exclusive polyurea that is extremely strong and durable. This edge will not separate from the MDF core and makes the edge completely water tight. 0.25" beveled radius edge. See catalog for color options.

Laminate Top w/3mm Edge Band (Optional) The core material is 1.125" thick particle board with a phenolic backer sheet and high pressure laminate on top making the total thickness of the top at 1.25". 3mm PVC edge banding is applied to all edges, radius corners. Color matching unless otherwise specified. Complimentary colors available upon request. See catalog for color options. Optional top surface choices include writable surface laminate (markerboard) and most Wilsonart matte (-60) finish laminates with possible up charges. Other vendors available upon request. (Check availability of non-standard colors, minimum order may apply.)

Legs

UNE-T Legs Overview The UNE-T adjustable leg is 1.5"x16-gauge square steel tube with a fully welded 10-gauge mounting plate. Leg attaches to desk with metal-to-metal inserts and 1/4"-20x15mm joint connector bolts. The lower leg is 1.25" x 14-gauge square steel tube and is fabricated to fit into the upper 1.5" square tube. Leg adjustments are connected to the upper leg with two drilled holes using M6-1x10mm screws that are inserted into the punch holes of the lower leg for positive contact and safety that adjust in 1" increments; 1.38" non-marring nylon glide.

ELS Legs Adjustable legs are 2" straight round, 14-gauge round tube which are fully welded to a triangular 10-gauge mounting plate. Legs attach to desk with metal-to-metal inserts and 1/4"-20x15mm joint connector bolts. The lower leg inserts are 1.75" x 14-gauge round steel tubes and are fabricated to fit into the upper 2" round tubes. Leg inserts and upper legs have two drilled holes and are connected together using M6 Allen head screws. Legs are adjustable in 1" increments and are powder-coated smooth silver or textured black finish and have 60mm dual wheel locking casters or glides.

Classic Construction

Construction Classic cabinets (sides, back, bottom, sub-top [mobile and modular], and sub-bottom [mobile only]) are constructed using fully doweled 0.75" particle board with double-sided thermal fused laminate (TFL) with matching 3mm PVC edge banding.*

Top Top core material is 1.125" thick particle board with a phenolic backer sheet and high pressure laminate on top making the total top thickness at 1.25". Matching 3mm PVC edge banding* is applied to all sides.

Drawers Drawers are fully doweled, 0.75" matching TFL front with matching 3mm PVC edge banding 4" satin nickel pulls and standard full extension side mount steel ball bearing glides. Gang lock on top drawer.

Doors Doors are 0.75" double sided TFL, matching 3mm PVC edge banding*, 4" satin nickel pulls, 6-point adjustable concealed hinges (European hinge) and a dead bolt lock.

Shelves Shelves are double sided TFL, matching 3mm PVC edge banding* on front edge, adjustable shelves have four double-pin shelf clips per shelf to prevent the shelves from sliding out or tipping. Fixed shelves are fully doweled.

Base (Mobile) Mobile: Integrated, 1" caster base, matching 3mm PVC edge banding*, 75mm dual wheel plate casters (two locking and two non-locking), casters installed onsite by others.

Base (Modular) 3mm PVC edge banding*, built in levelers adjustable from inside cabinet.

Totes 3" tote trays included with specific desks. Clear totes are standard. See catalog for additional optional colors available. 9" and 12" replacement tote trays, tote lids are optional.

Premium Construction

Construction Premium cabinets are constructed the same as the Classic except the Premium cabinet components are double sided high pressure laminate (HPL) in place of the double sided TFL.

*3mm PVC edge banding is matching, unless otherwise specified. Complementary color available upon request.

Universal Appleton Teacher's Desk specifications



Modular Lotz AE™ Top	Modular 3mm Top	Mobile Lotz AE™ Top	Mobile 3mm Top	W" x D" x H"	Description
TD7071-95UNET-AL*	TD6071-95UNET-AL	TD7071-95UNET-AC*	TD6071-95UNET-AC	60 x 24 x 30.38	Rectangle top 2 drawers, 1 file cabinet, gang lock, UNET leg



Modular Lotz AE™ Top	Modular 3mm Top	Mobile Lotz AE™ Top	Mobile 3mm Top	W" x D" x H"	Description
TD7071-95ELS-AL*	TD6071-95ELS-AL	TD7071-95ELS-AC*	TD6071-95ELS-AC	60 x 24 x 30.38	Rectangle top 2 drawers, 1 file cabinet, gang lock, ELS legs



Modular Lotz AE™ Top	Modular 3mm Top	Mobile Lotz AE™ Top	Mobile 3mm Top	W" x D" x H"	Description
TD7374-95UNET-AL*	TD6374-95UNET-AL	TD7374-95UNET-AC*	TD6374-95UNET-AC	60 x 24 x 30.38	Shaped top 2 drawers, 1 file cabinet, gang lock, UNET leg



Modular Lotz AE™ Top	Modular 3mm Top	Mobile Lotz AE™ Top	Mobile 3mm Top	W" x D" x H"	Description
TD7374-95ELS-AL*	TD6374-95ELS-AL	TD7374-95ELS-AC*	TD6374-95ELS-AC	60 x 24 x 30.38	Shaped top 2 drawers, 1 file cabinet, gang lock, ELS legs



Modular Lotz AE™ Top	Modular 3mm Top	Mobile Lotz AE™ Top	Mobile 3mm Top	W" x D" x H"	Description
TD7071-01UNET-AL	TD6071-01UNET-AL	TD7071-01UNET-AC*	TD6071-01UNET-AC	60 x 24 x 30.38	Rectangle top, tote storage, UNET leg



Modular Lotz AE™ Top	Modular 3mm Top	Mobile Lotz AE™ Top	Mobile 3mm Top	W" x D" x H"	Description
TD7071-01ELS-AL	TD6071-01ELS-AL	TD7071-01ELS-AC*	TD6071-01ELS-AC	60 x 24 x 30.38	Rectangle top, tote storage, ELS legs



Modular Lotz AE™ Top	Modular 3mm Top	Mobile Lotz AE™ Top	Mobile 3mm Top	W" x D" x H"	Description
TD7374-01UNET-AL	TD6374-01UNET-AL	TD7374-01UNET-AC*	TD6374-01UNET-AC	60 x 24 x 30.38	Shaped top, tote storage, UNET leg



Modular Lotz AE™ Top	Modular 3mm Top	Mobile Lotz AE™ Top	Mobile 3mm Top	W" x D" x H"	Description
TD7374-01ELS-AL	TD6374-01ELS-AL	TD7374-01ELS-AC*	TD6374-01ELS-AC	60 x 24 x 30.38	Shaped top, tote storage, ELS legs

Appleton Teacher's Desk specifications



TD6071-31UNET-AC

Modular Lotz AE™ Top	Modular 3mm Top	Mobile Lotz AE™ Top	Mobile 3mm Top	W" x D" x H"	Description
TD7071-31UNET-AL	TD6071-31UNET-AL	TD7071-31UNET-AC*	TD6071-31UNET-AC	60 x 24 x 30.38	Rectangle top, cabinet on right side, 1 door with adjustable shelf, deadbolt lock, UNET leg



TD7071-31ELS-AC

Modular Lotz AE™ Top	Modular 3mm Top	Mobile Lotz AE™ Top	Mobile 3mm Top	W" x D" x H"	Description
TD7071-31ELS-AL	TD6071-31ELS-AL	TD7071-31ELS-AC*	TD6071-31ELS-AC	60 x 24 x 30.38	Rectangle top, cabinet on right side, 1 door with adjustable shelf, deadbolt lock, ELS legs



TD7071-33UNET-AC

Modular Lotz AE™ Top	Modular 3mm Top	Mobile Lotz AE™ Top	Mobile 3mm Top	W" x D" x H"	Description
TD7071-33UNET-AL	TD6071-33UNET-AL	TD7071-33UNET-AC*	TD6071-33UNET-AC	60 x 24 x 30.38	Rectangle top, cabinet on left side, 1 door with adjustable shelf, deadbolt lock, UNET leg



TD6071-33ELS-AC

Modular Lotz AE™ Top	Modular 3mm Top	Mobile Lotz AE™ Top	Mobile 3mm Top	W" x D" x H"	Description
TD7071-33ELS-AL	TD6071-33ELS-AL	TD7071-33ELS-AC*	TD6071-33ELS-AC	60 x 24 x 30.38	Rectangle top, cabinet on left side, 1 door with adjustable shelf, deadbolt lock, ELS legs



TD6374-31UNET-AC

Modular Lotz AE™ Top	Modular 3mm Top	Mobile Lotz AE™ Top	Mobile 3mm Top	W" x D" x H"	Description
TD7374-31UNET-AL	TD6374-31UNET-AL	TD7374-31UNET-AC*	TD6374-31UNET-AC	60 x 24 x 30.38	Shaped top, cabinet on right side, 1 door with adjustable shelf, deadbolt lock, UNET leg



TD7374-31ELS-AC

Modular Lotz AE™ Top	Modular 3mm Top	Mobile Lotz AE™ Top	Mobile 3mm Top	W" x D" x H"	Description
TD7374-31ELS-AL	TD6374-31ELS-AL	TD7374-31ELS-AC*	TD6374-31ELS-AC	60 x 24 x 30.38	Shaped top, cabinet on right side, 1 door with adjustable shelf, deadbolt lock, ELS legs



TD7374-33UNET-AC

Modular Lotz AE™ Top	Modular 3mm Top	Mobile Lotz AE™ Top	Mobile 3mm Top	W" x D" x H"	Description
TD7374-33UNET-AL	TD6374-33UNET-AL	TD7374-33UNET-AC*	TD6374-33UNET-AC	60 x 24 x 30.38	Shaped top, cabinet on left side, 1 door with adjustable shelf, deadbolt lock, UNET leg



TD6374-33ELS-AC

Modular Lotz AE™ Top	Modular 3mm Top	Mobile Lotz AE™ Top	Mobile 3mm Top	W" x D" x H"	Description
TD7374-33ELS-AL	TD6374-33ELS-AL	TD7374-33ELS-AC*	TD6374-33ELS-AC	60 x 24 x 30.38	Shaped top, cabinet on left side, 1 door with adjustable shelf, deadbolt lock, ELS legs

Jackson Teacher's Desk specifications



TD6071-0195-AC

Modular Lotz AE™ Top	Modular 3mm Top	Mobile Lotz AE™ Top	Mobile 3mm Top	W" x D" x H"	Description
TD7071-0195-AL	TD6071-0195-AL	TD7071-0195-AC*	TD6071-0195-AC*	60 x 24 x 30.13	Tote storage, 2 drawers, 1 file drawer, 1 gang lock, modesty panel



TD6071-9095-AC

Modular Lotz AE™ Top	Modular 3mm Top	Mobile Lotz AE™ Top	Mobile 3mm Top	W" x D" x H"	Description
TD7071-9095-AL	TD6071-9095-AL	TD7071-9095-AC*	TD6071-9095-AC*	60 x 24 x 30.13	2 drawers, 3 file drawers, 2 gang locks, modesty panel



TD6071-9595-AC

Modular Lotz AE™ Top	Modular 3mm Top	Mobile Lotz AE™ Top	Mobile 3mm Top	W" x D" x H"	Description
TD7071-9595-AL	TD6071-9595-AL	TD7071-9595-AC*	TD6071-9595-AC*	60 x 24 x 30.13	4 drawers, 2 file drawers, 2 gang locks, modesty panel



TD6071-3395-AC

Modular Lotz AE™ Top	Modular 3mm Top	Mobile Lotz AE™ Top	Mobile 3mm Top	W" x D" x H"	Description
TD7071-3395-AL	TD6071-3395-AL	TD7071-3395-AC*	TD6071-3395-AC*	60 x 24 x 30.13	1 door with adjustable shelf, 2 drawers, 1 file drawer, 1 deadbolt lock, 1 gang lock, modesty panel



TD6071-9031-AC

Modular Lotz AE™ Top	Modular 3mm Top	Mobile Lotz AE™ Top	Mobile 3mm Top	W" x D" x H"	Description
TD7071-9031-AL	TD6071-9031-AL	TD7071-9031-AC*	TD6071-9031-AC*	60 x 24 x 30.13	1 door with adjustable shelf, 2 file drawers, 1 deadbolt lock, 1 gang lock, modesty panel