

fg Circulation Under Desk Cabinets

specifications

Classic Construction (/C)

Case Classic Cabinet (sides, back, sub-top & sub-bottom) is constructed using fully doweled 0.75" particle board with double sided thermal fused laminate (TFL) with 3mm PVC edge banding.

Top 1" matching double sided TFL top over a 0.75" sub-top, 3mm PVC edge banding

Doors 0.75" double sided TFL. 3mm PVC edge banding, 4" satin nickel pulls

Shelves Double sided TFL, 3mm PVC edge banding on front edge, adjustable shelves have four double-pin

shelf clips per shelf to prevent the shelves from sliding out or tipping, fixed are fully doweled

Drawers 0.75" matching front w/3mm PVC edge banding, 4" satin nickel wire pulls, standard full extension side

mount steel ball bearing glides

Base Integrated, 1" caster base, 3mm PVC edge banding, built-in levelers.

Premium Construction (/P)

Construction Premium cabinets are constructed the same as Classic cabinets, except the Premium cabinet components are double sided high pressure laminate (HPL) in place of the double sided TFL.

Soft Seating by Fomcore

Overview Soft Seating is made with flexible vinyl that is top stitched and protected with PERMABLOK® Advanced

Vinyl Protection. The Hi-Loft^{2™} backing is a specialty knitted textile that is manufactured with 100% polyester yarns created for strength and softness. The core material is vinyl with a Urethane topcoat, with foam density varying depending on the model. The one piece of solid foam sits on top of 1/2" base board. The base is constructed of 1/2" MDF base board with metal inserts, adjustable glides. See

catalog for color selections.

Fabric Soft Seating by Fomcore is made with flexible vinyl that is top stitched and protected with PERMABLOK® Advanced Vinyl Protection. The Hi-Loft^{2™} backing is a specialty knitted textile that is

manufactured with 100% polyester yarns created for strength and softness.

Core The core material is vinyl with a Urethane topcoat, with foam density varying depending on the

model. The one piece of solid foam sits on top of 1/2" base board.

The base is constructed of 1/2" MDF base board with metal inserts.

Finishes



Features

Wire Pulls 4" satin nickel pulls

Hinge 6-point adjustable-point adjustable concealed hinge

4" Base Modular models only, ingegrated, matching fully finished 4" base with built in levelers

Double-Pin Clips Plastic clips allow adjustability of shelves

> Levelers Modular models only, built in to 4" base and adjustable from inside cabinet

Slides Full extension side mount steel ball bearing slides

Additional Options

Adder Code	Description
Non-Standard Edge Band	See WB Finishes in Catalog for non-standard edge band colors
Locks	Deadbolt locks (per location)



Circulation Under Desk Cabinets specifications



Circulation Under Desk Cabinet without a Top

Model #	W" x H" x D"	Description	Locks Required
CB9201-172822-AL	16.25 x 28 x 22	1 drawer, 1 file drawer, levelers	2 optional deadbolt locks





Circulation Under Desk Cabinet without a Top

Model #	W" x H" x D"	Description	# of Optional Locks Required
CB9202-172822-AL	16.25 x 28 x 22	Opening, 1 drawer, 1 file drawer, levelers	2 optional deadbolt locks



Circulation Under Desk Cabinet without a Top

Model #	W" x H" x D"	Description	# of Optional Locks Required
CB9203-172822-AL	16.25 x 28 x 22	Opening, 1 file drawer, levelers	1 optional deadbolt lock





CB9204-HC

Circulation Under Desk Cabinet with Soft Seat Cushion by Fom core

Model #	W" x H" x D"	Description	Locks Required
CB9204-172023-HC	16.25 x 20 x 23	1 file drawer, 2" cushion (included in 20"H), hidden casters	1 optional deadbolt lock



Circulation Under Desk Cabinets specifications



Printer not included

Circulation Under Desk Printer Cart with a Top

Model #	W" x H" x D"	Description
CB1100-261818-HC	26 x 18 x 18	Open, 2 top mount handles, hidden casters
CB1100-321818-HC	32 x 18 x 18	Open, 2 top mount handles, hidden casters



CB3020-AL Shown in Premium finish and optional lock

Circulation Under Desk Tablet Charging Cabinet without a Top*

Model #	W" x H" x D"	Description	# of Optional Locks Required
CB3020-242822-AL	24 x 28 x 22	8 Wire dividers (10 compartments), 5 grommets, 2 vents	1 optional deadbolt lock

^{*}Power strip to be supplied by others. Please call WB for more info. 800.242.2303 *Requires 2" clearance from back of cabinet to wall, to allow proper function of vents.



Inside View of **Tablet Charging Cabinet**