

### Tops

**Standard Laminate Top w/Lotz Armor Edge™ (Standard)** High pressure laminate (HPL) top and moisture preventative & gum resistant phenolic backer bonded to 1.125" thick medium density fiberboard (MDF) core. Total top thickness 1.25". Choice of WB standard HPL. Optional top surface choices include writable surface laminate (markerboard) and most Panolam matte (-60) finish laminates with possible up charges. Other vendors available upon request. (Check availability of non-standard colors, minimum order may apply.) Lotz Armor Edge™ is a WB exclusive polyurea that is extremely strong and durable. This edge will not separate from the MDF core and makes the edge completely water tight. 0.25" beveled radius edge. See catalog for color options.

**Standard Laminate Top w/3mm Edge Band (Optional)** The core material is 1.125" thick particle board with a phenolic backer sheet and high pressure laminate on top making the total thickness of the top at 1.25". 3mm PVC edge banding is applied to all edges, radius corners. Color matching unless otherwise specified. Complimentary colors available upon request. See catalog for color options. Optional top surface choices include writable surface laminate (markerboard) and most Panolam matte (-60) finish laminates with possible up charges. Other vendors available upon request. (Check availability of non-standard colors, minimum order may apply.)

### Legs

**ELO® Legs** 14-gauge steel tube fully welded to a triangular 10-gauge mounting plate, 1" (ELO) or 1.75" (ELP & ELS) x 14-gauge insert. Mounting plate secured to top with (6) metal-to-metal threaded inserts and 1/4"-20x19mm joint connector bolts (included). Legs positioned at widest point of desk to improve stability and to provide more knee clearance. ELO® Adapt Desk, ELO® Adapt II Desk, and ELO® Connect 6 Desk are only available with the ELO 1.25" Adjustable Square Legs (ELO® -ADJ/ EJA).

**ELO® Slim Legs** 16-gauge steel tube fully welded to a triangular 12-gauge mounting plate, 1" (ELO) or 1.75" (ELP & ELS) x 16-gauge insert. Gussets. Mounting plate secured to top with (6) metal-to-metal threaded inserts and 1/4"-20x19mm joint connector bolts (included). Legs positioned at widest point of desk to improve stability and to provide more knee clearance.

**Finish** The legs are available in powder-coated smooth silver (-G4) (standard) or texture black finish (-09).




























**Glides** 1 3/8" adjustable nylon glide with 3/8"-16 thread x1". (Grand Hank glides are standard on the Mini Jr. adjustable legs.)

**Casters** 2" dual wheel soft tread casters w/brake, standard on ELS -FX-CA legs





















### Additional Options

	Adder Code	Description
Soft Touch glides	-FG	Standard on -EJA & -ADJ legs, optional on ELS -MJA, N/A on ELS -FX-CA legs
Steel glides	-SG	Standard on -EJA & -ADJ legs, optional on ELS -MJA, N/A on ELS -FX-CA legs
Grand Hank glides	-HG	Standard on ELS -MJA, N/A on ELS -FX-CA, optional on all other legs
Locking casters	-CA	Raises overall height by 2.11", standard on ELS -FX-CA legs
Wheelbarrow	-2CA	Standard with 2 non-marring glides and 2 dual-wheel soft tread locking casters, call Estimating on ELS -FX-CA legs
Backpack hook	-BPH	2" backpack hook, smooth silver & black (color matches leg)
Wire basket	-LW	Dimensions: 17.13"W x 14.5"D x 4.25"H, smooth silver
Plastic book box	-P23CH	ELS & ELP legs only, dimensions: 22.07"W x 16.5"D x 4.682"H, smooth silver & charcoal
Plastic book box	-P14CH	ELO® legs only, dimensions: 13.75"W x 14.834"D x 4.157"H, smooth silver & charcoal
3" tote tray kit	-GK_S	Transparent totes are standard, see catalog for color options
Grommet w/cover	-GR	Includes cutout
Metal wire management	-WM	Call Estimating
9"H perforated metal modesty panel	-913_	Call Estimating
12" H laminate modesty panel	-LMOD_	Call Estimating
Chemical resistant top	-O9C	Black
Markerboard top	-__MB	See catalog for color options
Premium Lotz AE™ colors	-S2_	See catalog for color options
Power supply modules		See Accessories section in catalog or website
Custom sizes		Call Estimating



















# ELO® Shape Tables (1.25" HPL Top)

		ELO -ADJ			ELO -EJA		ELP -ADJ			ELP -EJA
Top Shape / D" x L"	AE™	3mm	Wgt	Wgt	AE™	3mm	Wgt	Wgt		
 <b>Benton</b> 35.4 x 72	ELO7825	ELO6825	85	83	ELP7825	ELP6825	95	90		
 <b>Bridge</b> 33.3 x 61	ELO7802	ELO6802	72	70	ELP7802	ELP6802	80	76		
 <b>Broadhead</b> 32 x 40	ELO7315	ELO6315	42	40	ELP7315	ELP6315	50	46		
 <b>Circlet</b> 35.39 x 50	ELO7803	ELO6803	58	56	ELP7803	ELP6803	66	62		
 <b>Clover</b> 41.57 x 41.57	ELO7250	ELO6250	69	67	ELP7250	ELP6250	77	73		
 <b>Crescent</b> 34.72 x 38	ELO7842	ELO6842	56	54	ELP7842	ELP6842	64	60		
 <b>Delta</b> 30 x 60	ELO7826	ELO6826	78	76	ELP7826	ELP6826	88	83		
 <b>Double Delta</b> 36 x 60	ELO7827	ELO6827	89	86	ELP7827	ELP6827	101	95		
 <b>Double Diamond</b> 36 x 60	ELO7319	ELO6319	72	70	ELP7319	ELP6319	80	76		
 <b>Dreamer</b> 30 x 54	ELO7843	ELO6843	60	58	ELP7843	ELP6843	68	64		
 <b>Dreamer XL</b> 36 x 69	ELO7839	ELO6839	86	84	ELP7839	ELP6839	90	94		
 <b>Edge</b> 48 x 48	ELO7252	ELO6252	89	87	ELP7252	ELP6252	97	93		
 <b>Edge XL</b> 60 x 60	ELO7253	ELO6253	132	130	ELP7253	ELP6253	140	136		
 <b>Flower</b> 55.72 x 60	ELO7255	ELO6255	117	114	ELP7255	ELP6255	129	123		
 <b>Hubbard</b> 34.46 x 47.59	ELO7817	ELO6817	65	63	ELP7817	ELP6817	73	69		
 <b>Link</b> 44.88 x 65	ELO7812	ELO6812	86	84	ELP7812	ELP6812	94	90		
 <b>Manta</b> 47.74 x 52.3	ELO7806	ELO6806	57	56	ELP7806	ELP6806	63	60		
 <b>Nimbus</b> 39.25 x 55.5	ELO7808	ELO6808	63	62	ELP7808	ELP6808	69	66		
 <b>Reef</b> 30 x 54	ELO7804	ELO6804	60	58	ELP7804	ELP6804	68	64		
 <b>Reef XL</b> 34 x 54	ELO7837	ELO6837	68	66	ELP7837	ELP6837	76	72		
 <b>Mini Spooner</b> 36 x 68	ELO7835	ELO6835	87	85	ELP7835	ELP6835	95	91		
 <b>Spooner</b> 40.75 x 71.75	ELO7322	ELO6322	99	97	ELP7322	ELP6322	107	103		
 <b>Tide</b> 30 x 54	ELO7805	ELO6805	67	65	ELP7805	ELP6805	75	71		
 <b>Tide XL</b> 35 x 54	ELO7831	ELO6831	77	75	ELP7831	ELP6831	85	81		
 <b>Trapezoid 212</b> 24 x 48	ELO7212	ELO6212	46	44	ELP7212	ELP6212	54	50		
 <b>Trapezoid 211</b> 30 x 60	ELO7211	ELO6211	63	61	ELP7211	ELP6211	71	67		
 <b>Tri-Table</b> 60 x 68.82	ELO7801	ELO6801	120	117	ELP7801	ELP6801	132	126		














# ELO® Shape Tables (1.25" HPL Top)

				ELS -MJA	ELS -EJA	ELS -FX-CA	ELS -ADJ
Top Shape / D" x L"	AE™	3mm	Wgt	Wgt	Wgt	Wgt	
 <b>Benton</b> 35.4 x 72	ELS7825	ELS6825	85	93	85	95	
 <b>Bridge</b> 33.3 x 61	ELS7802	ELS6802	72	78	72	80	
 <b>Broadhead</b> 32 x 40	ELS7315	ELS6315	42	48	42	50	
 <b>Circlet</b> 35.39 x 50	ELS7803	ELS6803	58	64	58	66	
 <b>Clover</b> 41.57 x 41.57	ELS7250	ELS6250	69	75	69	77	
 <b>Crescent</b> 34.72 x 38	ELS7842	ELS6842	56	62	56	64	
 <b>Delta</b> 30 x 60	ELS7826	ELS6826	78	86	78	88	
 <b>Double Delta</b> 36 x 60	ELS7827	ELS6827	89	98	89	101	
 <b>Double Diamond</b> 36 x 60	ELS7319	ELS6319	72	78	72	80	
 <b>Dreamer</b> 30 x 54	ELS7843	ELS6843	60	66	60	68	
 <b>Dreamer XL</b> 36 x 69	ELS7839	ELS6839	86	92	86	94	
 <b>Edge</b> 48 x 48	ELS7252	ELS6252	89	95	89	97	
 <b>Edge XL</b> 60 x 60	ELS7253	ELS6253	132	138	132	140	
 <b>Flower</b> 55.72 x 60	ELS7255	ELS6255	117	126	117	129	
 <b>Hubbard</b> 34.46 x 47.59	ELS7817	ELS6817	65	71	65	73	
 <b>Link</b> 44.88 x 65	ELS7812	ELS6812	86	92	86	94	
 <b>Manta</b> 47.74 x 52.3	ELS7806	ELS6806	57	62	57	63	
 <b>Nimbus</b> 39.25 x 55.5	ELS7808	ELS6808	63	68	63	69	
 <b>Reef</b> 30 x 54	ELS7804	ELS6804	60	66	60	68	
 <b>Reef XL</b> 34 x 54	ELS7837	ELS6837	68	74	68	76	
 <b>Mini Spooner</b> 36 x 68	ELS7835	ELS6835	87	93	87	95	
 <b>Spooner</b> 40.75 x 71.75	ELS7322	ELS6322	99	105	99	107	
 <b>Tide</b> 30 x 54	ELS7805	ELS6805	67	73	67	75	
 <b>Tide XL</b> 35 x 54	ELS7831	ELS6831	77	83	77	85	
 <b>Trapezoid 212</b> 24 x 48	ELS7212	ELS6212	46	52	46	54	
 <b>Trapezoid 211</b> 30 x 60	ELS7211	ELS6211	63	69	63	71	
<b>Tri-Table</b> 60 x 68.82	ELS7801	ELS6801	120	129	120	132	

# ELO® Shape Tables (1.25" HPL Top)

		ELO -ADJ			ELO -EJA		ELP -ADJ			ELP -EJA
Top Shape D" x L"	AE™	3mm	Wgt	Wgt	AE™	3mm	Wgt	Wgt		
 <b>Horseshoe 226</b> 48 x 72	ELO7226	ELO6226	93	91	ELP7226	ELP6226	101	97		
 <b>Horseshoe 240</b> 66 x 60	ELO7240	ELO6240	127	125	ELP7240	ELP6240	137	132		
 <b>Horseshoe 241</b> 66 x 60	ELO7241	ELO6241	110	108	ELP7241	ELP6241	120	115		
 <b>Horseshoe 242</b> 66 x 60	ELO7242	ELO6242	115	113	ELP7242	ELP6242	125	120		
 <b>Horseshoe 244</b> 36 x 72	ELO7244	ELO6244	72	70	ELP7244	ELP6244	82	77		
 <b>Horseshoe 245</b> 48 x 72	ELO7245	ELO6245	89	87	ELP7245	ELP6245	82	93		
 <b>Kidney 220</b> 48 x 72	ELO7220	ELO6220	112	110	ELP7220	ELP6220	120	116		
 <b>Kidney 221</b> 48 x 96	ELO7221	ELO6221	146	144	ELP7221	ELP6221	154	150		
 <b>Kidney 222</b> 30 x 60	ELO7222	ELO6222	61	59	ELP7222	ELP6222	69	65		
 <b>Kidney 223</b> 36 x 72	ELO7223	ELO6223	88	86	ELP7223	ELP6223	96	92		
 <b>Kidney 225</b> 36 x 72	ELO7225	ELO6225	72	70	ELP7225	ELP6225	80	76		
 <b>Round 190</b> 36 Dia.	ELO7190	ELO6190	53	51	ELP7190	ELP6190	61	57		
 <b>Round 191</b> 42 Dia.	ELO7191	ELO6191	67	65	ELP7191	ELP6191	75	71		
 <b>Round 192</b> 48 Dia.	ELO7192	ELO6192	83	81	ELP7192	ELP6192	91	87		
 <b>Round 194</b> 60 Dia.	ELO7194	ELO6194	120	118	ELP7194	ELP6194	128	124		
 <b>Half Round 201</b> 36 x 72	ELO7201	ELO6201	91	89	ELP7201	ELP6201	99	95		
 <b>Half Round 204</b> 30 x 60	ELO7204	ELO6204	68	66	ELP7204	ELP6204	76	72		
 <b>Half Round 288</b> 30 x 48	ELO7288	ELO6288	60	58	ELP7288	ELP6288	68	64		

# ELO® Shape Tables (1.25" HPL Top)

				ELS -MJA	ELS -EJA	ELS -FX-CA	ELS -ADJ
	Top Shape D" x L"	AE™	3mm	Wgt	Wgt	Wgt	Wgt
	<b>Horseshoe 226</b> 48 x 72	ELS7226	ELS6226	93	99	93	101
	<b>Horseshoe 240</b> 66 x 60	ELS7240	ELS6240	127	135	127	137
	<b>Horseshoe 241</b> 66 x 60	ELS7241	ELS6241	110	118	110	120
	<b>Horseshoe 242</b> 66 x 60	ELS7242	ELS6242	115	123	115	125
	<b>Horseshoe 244</b> 36 x 72	ELS7244	ELS6244	72	80	72	82
	<b>Horseshoe 245</b> 48 x 72	ELS7245	ELS6245	89	95	89	97
	<b>Kidney 220</b> 48 x 72	ELS7220	ELS6220	112	118	112	120
	<b>Kidney 221</b> 48 x 96	ELS7221	ELS6221	146	152	146	154
	<b>Kidney 222</b> 30 x 60	ELS7222	ELS6222	61	67	61	69
	<b>Kidney 223</b> 36 x 72	ELS7223	ELS6223	88	94	88	96
	<b>Kidney 225</b> 36 x 72	ELS7225	ELS6225	72	78	72	80
	<b>Round 190</b> 36 Dia.	ELS7190	ELS6190	53	59	53	61
	<b>Round 191</b> 42 Dia.	ELS7191	ELS6191	67	73	67	75
	<b>Round 192</b> 48 Dia.	ELS7192	ELS6192	83	89	83	91
	<b>Round 194</b> 60 Dia.	ELS7194	ELS6194	120	126	120	128
	<b>Half Round 201</b> 36 x 72	ELS7201	ELS6201	91	97	91	99
	<b>Half Round 204</b> 30 x 60	ELS7204	ELS6204	68	74	68	76
	<b>Half Round 288</b> 30 x 48	ELS7288	ELS6288	60	66	60	68

# ELO® Rectangle Tables (1.25" HPL Top)



			ELS -MJA	ELS -EJA	ELS -FX-CA	ELS -ADJ	
D" x L"	AE™	3mm	Wgt	Wgt	Wgt	Wgt	
24 x 24	4 legs	ELS7065	ELS6065	37	43	37	45
24 x 30	4 legs	ELS7066	ELS6066	43	49	43	51
24 x 36	4 legs	ELS7067	ELS6067	48	54	48	56
24 x 42	4 legs	ELS7068	ELS6068	53	59	53	61
24 x 48	4 legs	ELS7069	ELS6069	58	64	58	66
24 x 54	4 legs	ELS7070	ELS6070	64	70	64	72
24 x 60	4 legs	ELS7071	ELS6071	69	75	69	77
24 x 72	4 legs, support bar	ELS7072	ELS6072	86	92	86	94
24 x 84	6 legs	ELS7073	ELS6073	98	107	98	110
30 x 36	4 legs	ELS7078	ELS6078	56	62	56	64
30 x 42	4 legs	ELS7079	ELS6079	62	68	62	70
30 x 48	4 legs	ELS7080	ELS6080	69	75	69	77
30 x 60	4 legs	ELS7082	ELS6082	82	88	82	90
30 x 72	4 legs, support bar	ELS7083	ELS6083	102	108	102	110
30 x 84	6 legs	ELS7084	ELS6084	117	126	117	129
30 x 96	6 legs	ELS7085	ELS6085	130	139	130	142
36 x 36	4 legs	ELS7088	ELS6088	64	70	64	72
36 x 42	4 legs	ELS7089	ELS6089	72	78	72	80
36 x 48	4 legs	ELS7090	ELS6090	80	86	80	88
36 x 60	4 legs	ELS7092	ELS6092	96	102	96	104
36 x 72	4 legs, support bar	ELS7093	ELS6093	117	123	117	125
36 x 84	6 legs	ELS7094	ELS6094	135	144	135	147
36 x 96	6 legs	ELS7095	ELS6095	151	160	151	163
42 x 42	4 legs	ELS7098	ELS6098	81	87	81	89
42 x 60	4 legs	ELS7099	ELS6099	109	115	109	117
42 x 72	4 legs, support bar	ELS7100	ELS6100	133	139	133	141
48 x 48	4 legs	ELS7107	ELS6107	101	107	101	109
48 x 60	4 legs	ELS7108	ELS6108	122	128	122	130
48 x 72	4 legs, support bar	ELS7109	ELS6109	149	155	149	157
48 x 96	6 legs	ELS7111	ELS6111	194	203	194	206

# ELO®Rectangle Tables (1.25" HPL Top)



D" x L"		ELO -ADJ			ELO -EJA		ELP -ADJ			ELP -EJA	
		AE™	3mm	Wgt	Wgt	AE™	3mm	Wgt	Wgt		
24 x 24	4 legs	ELO7065	ELO6065	37	35	ELP7065	ELP6065	45	41		
24 x 30	4 legs	ELO7066	ELO6066	43	41	ELP7066	ELP6066	51	47		
24 x 36	4 legs	ELO7067	ELO6067	48	46	ELP7067	ELP6067	56	52		
24 x 42	4 legs	ELO7068	ELO6068	53	51	ELP7068	ELP6068	61	57		
24 x 48	4 legs	ELO7069	ELO6069	58	56	ELP7069	ELP6069	66	62		
24 x 54	4 legs	ELO7070	ELO6070	64	62	ELP7070	ELP6070	72	68		
24 x 60	4 legs	ELO7071	ELO6071	69	67	ELP7071	ELP6071	77	73		
24 x 72	4 legs, support bar	ELO7072	ELO6072	86	84	ELP7072	ELP6072	94	90		
24 x 84	6 legs	ELO7073	ELO6073	98	95	ELP7073	ELP6073	110	104		
30 x 36	4 legs	ELO7078	ELO6078	56	54	ELP7078	ELP6078	64	60		
30 x 42	4 legs	ELO7079	ELO6079	62	60	ELP7079	ELP6079	70	66		
30 x 48	4 legs	ELO7080	ELO6080	69	67	ELP7080	ELP6080	77	73		
30 x 60	4 legs	ELO7082	ELO6082	82	80	ELP7082	ELP6082	90	86		
30 x 72	4 legs, support bar	ELO7083	ELO6083	102	100	ELP7083	ELP6083	110	106		
30 x 84	6 legs	ELO7084	ELO6084	117	114	ELP7084	ELP6084	129	123		
30 x 96	6 legs	ELO7085	ELO6085	130	127	ELP7085	ELP6085	142	136		
36 x 36	4 legs	ELO7088	ELO6088	64	62	ELP7088	ELP6088	72	68		
36 x 42	4 legs	ELO7089	ELO6089	72	70	ELP7089	ELP6089	80	76		
36 x 48	4 legs	ELO7090	ELO6090	80	78	ELP7090	ELP6090	88	84		
36 x 60	4 legs	ELO7092	ELO6092	96	94	ELP7092	ELP6092	104	100		
36 x 72	4 legs, support bar	ELO7093	ELO6093	117	115	ELP7093	ELP6093	125	121		
36 x 84	6 legs	ELO7094	ELO6094	135	132	ELP7094	ELP6094	147	141		
36 x 96	6 legs	ELO7095	ELO6095	151	148	ELP7095	ELP6095	163	157		
42 x 42	4 legs	ELO7098	ELO6098	81	79	ELP7098	ELP6098	89	85		
42 x 60	4 legs	ELO7099	ELO6099	109	107	ELP7099	ELP6099	117	113		
42 x 72	4 legs, support bar	ELO7100	ELO6100	133	131	ELP7100	ELP6100	141	137		
48 x 48	4 legs	ELO7107	ELO6107	101	99	ELP7107	ELP6107	109	105		
48 x 60	4 legs	ELO7108	ELO6108	122	120	ELP7108	ELP6108	130	126		
48 x 72	4 legs, support bar	ELO7109	ELO6109	149	147	ELP7109	ELP6109	157	153		
48 x 96	6 legs	ELO7111	ELO6111	194	191	ELP7111	ELP6111	206	200		

## ELO® Court Tables (1.25" HPL Top)



		ELO -ADJ			ELO -EJA		ELP -ADJ			ELP -EJA
D" x L"	Description	AET™	3mm	Wgt	Wgt	AET™	3mm	Wgt	Wgt	
24 x 60	4 legs	ELO7374	ELO6374	67	65	ELP7374	ELP6374	75	71	
24 x 72	4 legs, 1 support bar	ELO7386	ELO6386	83	81	ELP7386	ELP6386	91	87	
30 x 48	4 legs	ELO7383	ELO6383	64	62	ELP7383	ELP6383	72	68	
30 x 60	4 legs	ELO7370	ELO6370	77	75	ELP7370	ELP6370	85	81	
30 x 72	4 legs, 1 support bar	ELO7376	ELO6376	98	96	ELP7376	ELP6376	106	102	
36 x 60	4 legs, 1 support bar	ELO7375	ELO6375	95	93	ELP7375	ELP6375	103	99	
36 x 72	4 legs, 1 support bar	ELO7371	ELO6371	111	109	ELP7371	ELP6371	119	115	
36 x 96	5 legs, 1 support bar	ELO7377	ELO6377	148	145	ELP7377	ELP6377	158	153	
42 x 60	5 legs	ELO7387	ELO6387	112	109	ELP7387	ELP6387	122	117	
42 x 72	5 legs, 1 support bar	ELO7385	ELO6385	130	127	ELP7385	ELP6385	140	135	
42 x 84	5 legs, 1 support bar	ELO7372	ELO6372	149	146	ELP7372	ELP6372	159	154	
42 x 96	5 legs, 1 support bar	ELO7380	ELO6380	168	165	ELP7380	ELP6380	178	173	
48 x 60	5 legs, 1 support bar	ELO7384	ELO6384	123	120	ELP7384	ELP6384	133	128	
48 x 72	5 legs, 1 support bar	ELO7381	ELO6381	144	141	ELP7381	ELP6381	154	149	
48 x 84	5 legs, 1 support bar	ELO7382	ELO6382	165	162	ELP7382	ELP6382	175	170	
48 x 96	6 legs, 1 support bar	ELO7373	ELO6373	191	188	ELP7373	ELP6373	203	197	
60 x 60	5 legs, 2 support bars	ELO7378	ELO6378	148	146	ELP7378	ELP6378	158	153	
60 x 66	5 legs, 2 support bars	ELO7379	ELO6379	161	159	ELP7379	ELP6379	171	166	

## ELO® Court Tables (1.25" HPL Top)



		ELS -MJA			ELS -EJA		ELS -FX-CA		ELS -ADJ
D" x L"	Description	AET™	3mm	Wgt	Wgt	Wgt	Wgt	Wgt	
24 x 60	4 legs	ELS7374	ELS6374	67	73	67	75		
24 x 72	4 legs, 1 support bar	ELS7386	ELS6386	83	89	83	91		
30 x 48	4 legs	ELS7383	ELS6383	64	70	64	72		
30 x 60	4 legs	ELS7370	ELS6370	77	83	77	85		
30 x 72	4 legs, 1 support bar	ELS7376	ELS6376	98	104	98	106		
36 x 60	4 legs, 1 support bar	ELS7375	ELS6375	95	101	95	103		
36 x 72	4 legs, 1 support bar	ELS7371	ELS6371	111	117	111	119		
36 x 96	5 legs, 1 support bar	ELS7377	ELS6377	148	155	148	158		
42 x 60	5 legs	ELS7387	ELS6387	112	119	112	122		
42 x 72	5 legs, 1 support bar	ELS7385	ELS6385	130	137	130	140		
42 x 84	5 legs, 1 support bar	ELS7372	ELS6372	149	156	149	159		
42 x 96	5 legs, 1 support bar	ELS7380	ELS6380	168	175	168	178		
48 x 60	5 legs, 1 support bar	ELS7384	ELS6384	123	130	123	133		
48 x 72	5 legs, 1 support bar	ELS7381	ELS6381	144	151	144	154		
48 x 84	5 legs, 1 support bar	ELS7382	ELS6382	165	172	165	175		
48 x 96	6 legs, 1 support bar	ELS7373	ELS6373	191	200	191	203		
60 x 60	5 legs, 2 support bars	ELS7378	ELS6378	148	156	148	158		
60 x 66	5 legs, 2 support bars	ELS7379	ELS6379	161	169	161	171		



# ELO® Court Tables w. Pedestal Base (1.25" HPL Top)




Fill the \_\_ within the model # for your height option. →

D" x L"	AE™	3mm	<b>29</b>	<b>36</b>	<b>40</b>
			(29.25"H) Wgt	(36.25"H) Wgt	(40.25"H) Wgt
24 x 60	ELPG7374 - __DFX1844	ELPG6374 - __DFX1844	93	98	100
30 x 48	ELPG7383 - __DFX1844	ELPG6383 - __DFX1844	90	95	97
30 x 60	ELPG7370 - __DFX1844	ELPG6370 - __DFX1844	103	108	110
30 x 72	ELPG7376 - __DFX1844	ELPG6376 - __DFX1844	122	127	129
36 x 60	ELPG7375 - __DFX1844	ELPG6375 - __DFX1844	115	120	122
36 x 72	ELPG7371 - __DFX1844	ELPG6371 - __DFX1844	135	140	142
36 x 96	ELPG7377 - __DFX1844	ELPG6377 - __DFX1844	170	175	177
42 x 72	ELPG7385 - __DFX2244	ELPG6385 - __DFX2244	164	169	171
42 x 84	ELPG7372 - __DFX2244	ELPG6372 - __DFX2244	184	189	191
42 x 96	ELPG7380 - __DFX2244	ELPG6380 - __DFX2244	204	209	211
48 x 60	ELPG7384 - __DFX2244	ELPG6384 - __DFX2244	153	158	160
48 x 72	ELPG7381 - __DFX2244	ELPG6381 - __DFX2244	178	183	185
48 x 84	ELPG7382 - __DFX2244	ELPG6382 - __DFX2244	200	205	207
48 x 96	ELPG7373 - __DFX2244	ELPG6373 - __DFX2244	223	228	230
60 x 60	ELPG7378 - __DFX2267	ELPG6378 - __DFX2267	203	208	210
60 x 66	ELPG7379 - __DFX2267	ELPG6379 - __DFX2267	213	221	223

## ELO® Desk Leg Options




**ELO  
-ADJ/-EJA\***  
1.25"  
Adjustable  
Square Legs  
-ADJ: 26.25 - 31.25"  
-EJA: 21.25 - 26.25"



**ELP  
-ADJ/-EJA\***  
2" Pin Adjustable  
Straight  
Round Legs  
-ADJ: 26.25 - 40.25"  
-EJA: 20.25 - 30.25"



**ELS  
-ADJ/-EJA\***  
2" Adjustable  
Straight  
Round Legs  
-ADJ: 26.25 - 41.25  
-EJA: 21.25 - 34.25



**ELS  
-FX-CA\***  
2" Fixed  
Straight  
Round Legs  
w/casters  
29.36



**ELS  
-MJA\***  
2" Adjustable  
Mini Junior  
Straight Round Legs  
12 - 19"



**ELS  
-SEJA\***  
1.5" Adjustable  
Slim Straight  
Round Legs  
21.25 - 34.25"

\*Heights listed are for overall desk height with standard glides. For overall desk height with casters, add 2.11". ELS -FX-CA come standard with casters, 29.36"H is the overall desk height.