

Tops

<i>High Pressure Laminate Top w/Armor Edge (Standard)</i>	High pressure laminate (HPL) top and moisture preventative & gum resistant phenolic backer bonded to 1.125" thick medium density fiberboard (MDF) core. Total top thickness 1.25". Armor Edge is a WB exclusive polyurea that is extremely strong and durable. This edge will not separate from the MDF core and makes the edge completely water tight. 0.25" beveled radius edge.
<i>High Pressure Laminate Top w/Edge Band (Optional)</i>	The core material is 1.125" thick particle board with a phenolic backer sheet and high pressure laminate on top making the total thickness of the top at 1.25". Edge Band is applied to all edges, radius corners. Color matching unless otherwise specified.
<i>OnVoy Series Low Pressure Laminate w/Edge Band</i>	1" thick particle board core with double sided Laminate and Edge band on all edges, radius corners (Only available on student desks)
<i>OnVoy Series Low Pressure Laminate w/Lotz Armor Edge™</i>	1" thick MDF core with double sided Laminate; 0.25" beveled radius edge is finished using AE on all edges. (Only available on student desks)

Legs

<i>ELO® Legs</i>	14ga steel tube fully welded to a triangular 10ga mounting plate, 1" (ELO) or 1.75" (ELP & ELS) x 14ga insert. Mounting plate secured to top with (6) metal-to-metal threaded inserts and 1/4"-20x9mm joint connector bolts (included). Legs positioned at widest point of desk to improve stability and to provide more knee clearance.
<i>EON™ Leg</i>	12ga mounting plate is fully welded to 16ga steel tube, 1.5" round tube x 16ga round insert, comes in smooth silver only and gussets. Overall height 21.25" - 34.25" (dual wheel soft tread locking casters add 2.11" to overall height)
<i>Finish</i>	The legs are available in powder-coated smooth silver (-G4) (standard) or texture black finish (-09).
<i>Glides</i>	1 3/8" adjustable nylon glide with 3/8"-16 thread x1". (Grand Hank glides are standard on the Mini Jr. adjustable legs.)
<i>Casters</i>	2" dual wheel soft tread casters w/brake, standard on ELS -FX-CA legs

Additional Options

	<i>Adder Code</i>	<i>Description</i>
<i>Markerboard top</i>	-__MB	See catalog for color options
<i>1 3/8" Non-marring glide</i>		Standard on -EJA & -ADJ legs, optional on ELS -MJA, N/A on ELS -FX-CA legs
<i>Soft Touch glides</i>	-FG	N/A on ELS -FX-CA legs
<i>Steel glides</i>	-SG	N/A on ELS -FX-CA legs
<i>Grand Hank glides</i>	-HG	Standard on ELS -MJA, N/A on ELS -FX-CA, optional on all other legs
<i>Locking casters</i>	-CA	Standard on ELS -FX-CA legs, optional on all other legs (raises overall height by 2.11")
<i>Wheelbarrow</i>	-2CA	Standard with 2 non-marring glides and 2 dual-wheel soft tread locking casters, call Estimating on ELS -FX-CA legs
<i>Wire basket</i>	-LW	Dimensions: 17.13"W x 14.5"D x 4.25"H, smooth silver
<i>3" tote tray kit</i>	-GK_S	Transparent totes are standard, see catalog for color options
<i>Plastic book box</i>	-P14CH	ELO® legs only, dimensions: 13.75"W x 14.834"D x 4.157"H, charcoal
<i>Plastic book box</i>	-P23CH	ELS & ELP legs only, dimensions: 22.07"W x 16.5"D x 4.682"H, charcoal
<i>Backpack hook</i>	-BPH	2" backpack hook, smooth silver & black (color matches leg)
<i>Swivel cup holder</i>	-SCH	8"W x 5"H, flat black
<i>Premium AE</i>	-S2_	See catalog for color options
<i>Non-standard edge band</i>		
<i>12" H Laminate Modesty</i>	-LMOD	Call Estimating; only available on Slinger Desk
<i>Custom sizes</i>		Call Estimating

EON™ & ELO® DESK STORAGE OPTIONS

EON™ & ELO® Desks		EON Leg			ELS/ELP Leg		
Shape Code	Name	Book Box -P23CH	Wire Basket -LW	Tote Tray Kit/Runners -GK_S/-GTR	Book Box -P23CH	Wire Basket -LW	Tote Tray Kit/Runners -GK_S/-GTR
600	Adapt	N/A	N/A	N/A	N/A	N/A	N/A
601	Adapt XL	✓	✓	✓	✓	✓	✓
810	Adapt II	N/A	N/A	N/A	N/A	N/A	N/A
823	Adapt II XL	✓	✓	✓	✓	✓	✓
813	Arcadia	✓	✓	✓	✓	✓	✓
829	Aidacra	✓	✓	✓	✓	✓	✓
400	Connect 4	✓	✓	✓	✓	✓	✓
216	Connect 6	N/A	N/A	N/A	N/A	N/A	N/A
218	Connect 6 XL	N/A	N/A	N/A	N/A	N/A	N/A
217	Connect 8	✓	✓	✓	✓	✓	✓
318	Diamond	✓	✓	✓	✓	✓	✓
317	Mini Diamond	N/A	✓	✓	N/A	✓	✓
816	Hurley	✓	✓	✓	✓	✓	✓
316	Loyal	✓	✓	✓	✓	✓	✓
323	Loyal XL	✓	✓	✓	✓	✓	✓
809	Mini Nimbus	N/A	✓	✓	N/A	✓	✓
811	Mini Tide	✓	✓	✓	✓	✓	✓
500	Ocho	✓	✓	✓	✓	✓	✓
840	Plover	✓	✓	✓	✓	✓	✓
174	Plymouth (20x27.5)	N/A	N/A	N/A	N/A	N/A	N/A
067	Plymouth (24x36)	✓	✓	✓	✓	✓	✓
364	Plymouth (20x28.5)	✓	✓	✓	✓	✓	✓
171	Plymouth II (20x27.5)	N/A	N/A	N/A	N/A	N/A	N/A
173	Plymouth II (24x36)	✓	✓	✓	✓	✓	✓
366	Plymouth II (20x28.5)	✓	✓	✓	✓	✓	✓
814	Pyramid	✓	✓	✓	✓	✓	✓
820	Weston	✓	✓	✓	✓	✓	✓



**ELO
-ADJ/-EJA***

1.25"
Adjustable
Square Legs
-ADJ: 26.25 - 31.25"
-EJA: 21.25 - 26.25"



**ELP
-ADJ/-EJA***

2" Pin Adjustable
Straight
Round Legs
-ADJ: 26.25 - 40.25"
-EJA: 20.25 - 30.25"



**ELS
-ADJ/-EJA***

2" Adjustable
Straight
Round Legs
-ADJ: 26.25 - 41.25"
-EJA: 21.25 - 34.25"



**ELS
-FX-CA***

2" Fixed
Straight
Round Legs
w/casters
29.36"



**EON
-EJA***

1.5" Adjustable
Slim Straight
Round Legs
21.25 - 34.25"



**ELS
-MJA***

2" Adjustable
Mini Junior
Straight Round Legs
12 - 19"

*Heights listed are for overall desk height with standard glides. For overall desk height with casters, add 2.11". ELS -FX-CA come standard with casters, 29.36"H is the overall desk height.
OnVoy series subtract 0.25" from desk height.

✓ = Available Option



EON™ Desks

						1.25" Top Esteem EON -EJA	1" TFL Top OnVoy EON -EJA/T
	Top Shape	D" x L"	Leg Spacing	AE™	PVC	Wgt	Wgt
 US Patent D780487	Adapt	22.5 x 30	22.69	EON7600	EON6600	35	28
	Adapt XL	22.5 x 33	25.21	EON7601	EON6601	37	30
	Adapt II	21.5 x 31	24.67	EON7810	EON6810	35	30
	Adapt II XL	22 x 33	25.58	EON7823	EON6823	38	31
	Arcadia (Right Handed)	26.11 x 28.67	23.04	EON7813	EON6813	36	30
	Aidacra (Left Handed)	26.11 x 28.67	23.04	EON7829	EON6829	36	30
	Connect 4	23.88 x 35.88	30.45	EON7400	EON6400	30	24
	Connect 6	18 x 30	26.8	EON7216	EON6216	29	24
	Connect 6 XL	18 x 32	27.3	EON7218	EON6218	30	25
	Connect 8	24 x 33	29.69	EON7217	EON6217	35	29
	Mini Diamond	27 x 30.5	24.06	EON7317	EON6317	31	25
	Diamond	30 x 34	27.93	EON7318	EON6318	37	29
	Hurley	21.5 x 33	23.93	EON7816	EON6816	38	31
	Loyal	22 x 30	24.14	EON7316	EON6316	36	29
	Loyal XL	23 x 31	24.42	EON7323	EON6323	38	31
	Mini Nimbus	25.5 x 35.88	31.22	EON7809	EON6809	32	25
	Mini Tide	23 x 32.5	27.78	EON7811	EON6811	37	30
	Ocho	20.6 x 35.17	31.55	EON7500	EON6500	35	29
	Plover	23 x 33	24.01	EON7840	EON6840	38	31
	Plymouth	20 x 27.5	23.98	EON7174	EON6174	33	27
	Plymouth	20 x 28.5	23.74	EON7364	EON6364	35	29
	Plymouth	24 x 36	31.24	EON7067	EON6067	46	37
	Plymouth II	20 x 27.5	23.98	EON7171	EON6171	34	28
	Plymouth II	20 x 28.5	23.74	EON7366	EON6366	35	29
	Plymouth II	24 x 36	31.24	EON7173	EON6173	46	37
	Pyramid	23.42 x 41.18	37.85	EON7814	EON6814	31	25
	Weston	23.87 x 32	23.47	EON7820	EON6820	38	31

ELO® ELS-MJA Desks

	Top Shape D" x L"	Leg Spacing	AE™	PVC	1.25" HPL Top Esteem ELS -MJA Wgt	1" TFL Top OnVoy ELS -MJA/T Wgt
	Adapt XL 22.5 x 33 US Patent D780487	22.37	ELS7601	ELS6601	39	32
	Adapt II XL 22 x 33	21.73	ELS7823	ELS6823	40	33
	Arcadia 26.11 x 28.67 (Right Handed)	21.25	ELS7813	ELS6813	38	32
	Aidacra 26.11 x 28.67 (Left Handed)	21.25	ELS7829	ELS6829	38	32
	Connect 4 23.88 x 35.88	25.09	ELS7400	ELS6400	32	26
	Connect 6 XL 18 x 32	20.76	ELS7218	ELS6218	32	27
	Connect 8 24 x 33	23.95	ELS7217	ELS6217	37	31
	Mini Diamond 27 x 30.5	20.7	ELS7317	ELS6317	33	27
	Diamond 30 x 34	23.82	ELS7318	ELS6318	39	31
	Hurley 21.5 x 33	21.31	ELS7816	ELS6816	40	33
	Loyal 22 x 30	20.69	ELS7316	ELS6316	38	31
	Loyal XL 23 x 31	21.46	ELS7323	ELS6323	40	33
	Mini Nimbus 25.5 x 35.88	27.19	ELS7809	ELS6809	34	27
	Mini Tide 23 x 32.5	25.22	ELS7811	ELS6811	39	32
	Ocho 20.6 x 35.17	27.75	ELS7500	ELS6500	37	31
	Plover 23 x 33	21.5	ELS7840	ELS6840	40	33
	Plymouth 20 x 28.5	21.37	ELS7364	ELS6364	37	31
	Plymouth 24 x 36	28.87	ELS7067	ELS6067	48	39
	Plymouth II 20 x 28.5	21.37	ELS7366	ELS6366	37	31
	Plymouth II 24 x 36	28.87	ELS7173	ELS6173	48	39
	Pyramid 23.42 x 41.18	28.93	ELS7814	ELS6814	33	27
	Weston 23.87 x 32	22.1	ELS7820	ELS6820	40	33

ELO® ELS-EJA Desks

	Top Shape D" x L"	Leg Spacing	AETM	PVC	1.25" HPL Top Esteem ELS -EJA	1" TFL Top OnVoy ELS -EJA/T
					Wgt	Wgt
	Adapt XL 22.5 x 33 <i>US Patent D780487</i>	22.37	ELS7601	ELS6601	45	38
	Adapt II XL 22 x 33	21.73	ELS7823	ELS6823	46	39
	Arcadia 26.11 x 28.67 <i>(Right Handed)</i>	21.25	ELS7813	ELS6813	44	38
	Aidacra 26.11 x 28.67 <i>(Left Handed)</i>	21.25	ELS7829	ELS6829	44	38
	Connect 4 23.88 x 35.88	25.09	ELS7400	ELS6400	37	31
	Connect 6 XL 18 x 32	20.76	ELS7218	ELS6218	38	33
	Connect 8 24 x 33	23.95	ELS7217	ELS6217	43	37
	Mini Diamond 27 x 30.5	20.7	ELS7317	ELS6317	38	32
	Diamond 30 x 34	23.82	ELS7318	ELS6318	44	36
	Hurley 21.5 x 33	21.31	ELS7816	ELS6816	46	39
	Loyal 22 x 30	20.69	ELS7316	ELS6316	44	37
	Loyal XL 23 x 31	21.46	ELS7323	ELS6323	46	39
	Mini Nimbus 25.5 x 35.88	27.19	ELS7809	ELS6809	39	32
	Mini Tide 23 x 32.5	25.22	ELS7811	ELS6811	45	38
	Ocho 20.6 x 35.17	27.75	ELS7500	ELS6500	43	37
	Plover 23 x 33	21.5	ELS7840	ELS6840	46	39
	Plymouth 20 x 28.5	21.37	ELS7364	ELS6364	43	37
	Plymouth 24 x 36	28.87	ELS7067	ELS6067	54	45
	Plymouth II 20 x 28.5	21.37	ELS7366	ELS6366	43	37
	Plymouth II 24 x 36	28.87	ELS7173	ELS6173	54	45
	Pyramid 23.42 x 41.18	28.93	ELS7814	ELS6814	38	32
	Weston 23.87 x 32	22.1	ELS7820	ELS6820	46	39

ELO® ELS-ADJ Desks

*To identify OnVoy series, the /T is shown after the leg part number. This is a placeholder for quoting purposes. /T should be placed after TFL finish choice. Please refer to ELO® Desk Configurator.

	Top Shape D" x L"	D" x L"	Leg Spacing	AE™	PVC	1.25" HPL Top Esteem ELS -ADJ Wgt	1" TFL Top OnVoy ELS -AD- J/T Wgt
	Adapt XL US Patent D780487	22.5 x 33	22.37	ELS7601	ELS6601	47	40
	Adapt II XL	22 x 33	21.73	ELS7823	ELS6823	48	41
	Arcadia (Right Handed)	26.11 x 28.67	21.25	ELS7813	ELS6813	46	40
	Aidacra (Left Handed)	26.11 x 28.67	21.25	ELS7829	ELS6829	46	40
	Connect 4	23.88 x 35.88	25.09	ELS7400	ELS6400	38	32
	Connect 6 XL	18 x 32	20.76	ELS7218	ELS6218	40	35
	Connect 8	24 x 33	23.95	ELS7217	ELS6217	45	39
	Mini Diamond	27 x 30.5	20.7	ELS7317	ELS6317	39	33
	Diamond	30 x 34	23.82	ELS7318	ELS6318	45	37
	Hurley	21.5 x 33	21.31	ELS7816	ELS6816	48	41
	Loyal	22 x 30	20.69	ELS7316	ELS6316	46	39
	Loyal XL	23 x 31	21.46	ELS7323	ELS6323	48	41
	Mini Nimbus	25.5 x 35.88	27.19	ELS7809	ELS6809	40	33
	Mini Tide	23 x 32.5	25.22	ELS7811	ELS6811	47	40
	Ocho	20.6 x 35.17	27.75	ELS7500	ELS6500	45	39
	Plover	23 x 33	21.5	ELS7840	ELS6840	48	41
	Plymouth	20 x 28.5	21.37	ELS7364	ELS6364	45	39
	Plymouth	24 x 36	28.87	ELS7067	ELS6067	56	47
	Plymouth II	20 x 28.5	21.37	ELS7366	ELS6366	45	39
	Plymouth II	24 x 36	28.87	ELS7173	ELS6173	56	47
	Pyramid	23.42 x 41.18	28.93	ELS7814	ELS6814	39	33
	Weston	23.87 x 32	22.1	ELS7820	ELS6820	48	41

ELO® ELP-ADJ Desks

*To identify OnVoy series, the /T is shown after the leg part number. This is a placeholder for quoting purposes. /T should be placed after TFL finish choice. Please refer to ELO® Desk Configurator.

Top Shape		D" x L"	Leg Spacing	AE™	PVC	1.25" HPL Top Esteem ELP -ADJ Wgt	1" TFL Top OnVoy ELP -ADJ/T* Wgt
	Adapt XL US Patent D780487	22.5 x 33	22.37	ELP7601	ELP6601	47	40
	Adapt II XL	22 x 33	21.73	ELP7823	ELP6823	48	41
	Arcadia (Right Handed)	26.11 x 28.67	21.25	ELP7813	ELP6813	46	40
	Aidacra (Left Handed)	26.11 x 28.67	21.25	ELP7829	ELP6829	46	40
	Connect 4	23.88 x 35.88	25.09	ELP7400	ELP6400	38	32
	Connect 6 XL	18 x 32	20.76	ELP7218	ELP6218	40	35
	Connect 8	24 x 33	23.95	ELP7217	ELP6217	45	39
	Mini Diamond	27 x 30.5	20.7	ELP7317	ELP6317	39	33
	Diamond	30 x 34	23.82	ELP7318	ELP6318	45	37
	Hurley	21.5 x 33	21.31	ELP7816	ELP6816	48	41
	Loyal	22 x 30	20.69	ELP7316	ELP6316	46	39
	Loyal XL	23 x 31	21.46	ELP7323	ELP6323	48	41
	Mini Nimbus	25.5 x 35.88	27.19	ELP7809	ELP6809	40	33
	Mini Tide	23 x 32.5	25.22	ELP7811	ELP6811	47	40
	Ocho	20.6 x 35.17	27.75	ELP7500	ELP6500	45	39
	Plover	23 x 33	21.5	ELP7840	ELP6840	48	41
	Plymouth	20 x 28.5	21.37	ELP7364	ELP6364	45	39
	Plymouth	24 x 36	28.87	ELP7067	ELP6067	56	47
	Plymouth II	20 x 28.5	21.37	ELP7366	ELP6366	45	39
	Plymouth II	24 x 36	28.87	ELP7173	ELP6173	56	47
	Pyramid	23.42 x 41.18	28.93	ELP7814	ELP6814	39	30
	Weston	23.87 x 32	22.1	ELP7820	ELP6820	46	41

ELO® ELP-EJA Desks

**To identify OnVoy series, the /T is shown after the leg part number. This is a placeholder for quoting purposes. /T should be placed after TFL finish choice. Please refer to ELO® Desk Configurator.*

Top Shape		D" x L"	Leg Spacing	AE™	PVC	1.25" HPL Top Esteem ELP -EJA Wgt	1" TFL Top OnVoy ELP -EJA/T* Wgt
	Adapt XL US Patent D780487	22.5 x 33	22.37	ELP7601	ELP6601	43	36
	Adapt II XL	22 x 33	21.73	ELP7823	ELP6823	44	37
	Arcadia (Right Handed)	26.11 x 28.67	21.25	ELP7813	ELP6813	42	36
	Aidacra (Left Handed)	26.11 x 28.67	21.25	ELP7829	ELP6829	42	36
	Connect 4	23.88 x 35.88	25.09	ELP7400	ELP6400	35	29
	Connect 6 XL	18 x 32	20.76	ELP7218	ELP6218	36	31
	Connect 8	24 x 33	23.95	ELP7217	ELP6217	41	35
	Mini Diamond	27 x 30.5	20.7	ELP7317	ELP6317	36	30
	Diamond	30 x 34	23.82	ELP7318	ELP6318	42	34
	Hurley	21.5 x 33	21.31	ELP7816	ELP6816	44	37
	Loyal	22 x 30	20.69	ELP7316	ELP6316	42	35
	Loyal XL	23 x 31	21.46	ELP7323	ELP6323	44	37
	Mini Nimbus	25.5 x 35.88	27.19	ELP7809	ELP6809	37	30
	Mini Tide	23 x 32.5	25.22	ELP7811	ELP6811	43	36
	Ocho	20.6 x 35.17	27.75	ELP7500	ELP6500	41	35
	Plover	23 x 33	21.5	ELP7840	ELP6840	44	37
	Plymouth	20 x 28.5	21.37	ELP7364	ELP6364	41	35
	Plymouth	24 x 36	28.87	ELP7067	ELP6067	52	43
	Plymouth II	20 x 28.5	21.37	ELP7366	ELP6366	41	35
	Plymouth II	24 x 36	28.87	ELP7173	ELP6173	52	43
	Pyramid	23.42 x 41.18	28.93	ELP7814	ELP6814	36	30
	Weston	23.87 x 32	22.1	ELP7820	ELP6820	44	37



ELO® Slinger Desk
ELS6847-EJA-GR2C

ELO® Slinger Desk (1 grommet on top, 2 Velcro cord management kits)

AE™	EB	Wgt	Top D" x L"	OA H" w/glides	OA H" w/casters	Description
ELS7846-MJA-GR2C	ELS6846-MJA-GR2C	54	29 x 42	12 -19	14.11 - 21.11	4 mini jr. adj. straight round legs, Grand Hank glides
ELS7846-EJA-GR2C	ELS6846-EJA-GR2C	60	29 x 42	21.25 - 34.25	23.36 - 36.36	4 universal jr. adj. straight round legs, glides
ELP7846-EJA-GR2C	ELP6846-EJA-GR2C	58	29 x 42	20.25 - 30.25	22.36 - 32.36	4 universal jr. pin adj. straight round legs, glides
ELS7846-ADJ-GR2C	ELS6846-ADJ-GR2C	62	29 x 42	26.25 - 41.25	28.36 - 43.36	4 adj. straight round legs, glides
ELP7846-ADJ-GR2C	ELP6846-ADJ-GR2C	62	29 x 42	26.25 - 40.25	28.36 - 42.36	4 pin adj. straight round legs, glides
ELS7847-MJA-GR2C	ELS6847-MJA-GR2C	60	29 x 48	12 - 19	14.11 - 21.11	4 mini jr. adj. straight round legs, Grand Hank glides
ELS7847-EJA-GR2C	ELS6847-EJA-GR2C	66	29 x 48	21.25 - 34.25	23.36 - 36.36	4 universal jr. adj. straight round legs, glides
ELP7847-EJA-GR2C	ELP6847-EJA-GR2C	64	29 x 48	20.25 - 30.25	22.36 - 32.36	4 universal jr. pin adj. straight round legs, glides
ELS7847-ADJ-GR2C	ELS6847-ADJ-GR2C	68	29 x 48	26.25 - 41.25	28.36 - 43.36	4 adj. straight round legs, glides
ELP7847-ADJ-GR2C	ELP6847-ADJ-GR2C	68	29 x 48	26.25 - 40.25	28.36 - 42.36	4 pin adj. straight round legs, glides